

**LABORATORY REPORT**

Sample Received Date: 30.11.2009

Report No.: RCH/178(SVHC-25)/2009

Report Date: 17.12.2009

M/s.Sarkar Plywood Ltd.,  
Shop No.5, Shiv Pooja Complex,  
Above Bank of Baroda,  
Citylight, Surat 395007,  
Gujarat.

For the Attention of : Mr. Adnan Mustafa Sarkar

SAMPLE (s) received from : Sarkar Plywood Ltd.

Payment Confirmation Received on : 30.11.2009

**Sample Description:****Four (4) Pieces of Submitted Samples Said to be:**

- (1) 18mm (13ply) - WBP Film Faced Plywood
- (2) 18mm (13ply) - MR Film Faced Plywood
- (3) 18mm (13ply) - WBP Marine Plywood
- (4) 18mm (13ply) - MR Plywood



REACH/178(SVHC-025)/2009


DATE RECEIVED: - 30.11.2009

DATE REPORTED: - 17.12.2009

15 SVHC SCREENING (1+2+3+4)

By a combination of X-Ray Fluorescence spectroscopy, Inductively Coupled Argon Plasma spectrometry and Gas Chromatographic – Mass spectrometry Techniques

Sr. No.	Chemical Substance	CAS No.	Result
1	Anthracene	120-12-7	<0.02% (w/w)
2	4,4' –Diaminodiphenylmethane	101-77-9	<0.02% (w/w)
3	Dibutyl Phthalate (DBP)	84-74-2	<0.02% (w/w)
4	Cobalt Dichloride	7646-79-9	<0.02% (w/w)
5	Diarsenic Pentaoxide	1303-28-2	<0.02% (w/w)
6	Diarsenic Trioxide	1327-53-3	<0.02% (w/w)
7	Sodium Dichromate, Dihydrate	7789-12-0- 10588-01-9	<0.02% (w/w)
8	5-Tert-Butyl-2, 4,6-Trinitro-M-Xylene (Musk Xylene)	81-15-2	<0.02% (w/w)
9	BIS (2-Ethyl (Hexyl) Phthalate) (DEHP)	117-81-7	<0.02% (w/w)
10	Hexabromocyclododecane (HBCDD)	25637-99-4and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)	<0.02% (w/w)
11	Short Chain Chlorinated Paraffin (C10-C13)	85535-84-8	<0.02% (w/w)
12	BIS (Tributyltin) Oxide	56-35-9	<0.02% (w/w)
13	Lead Hydrogen Arsenate	7784-40-9	<0.02% (w/w)
14	Triethyl Arsenate	15606-95-8	<0.02% (w/w)
15	Benzyl Butyl Phthalate (BBP)	85-68-7	<0.02% (w/w)




Test report shall not be reproduced except in full with out the written approval of the laboratory. Submitted samples were not drawn by the Laboratory. The result relate only to the sample tested.

The above mentioned analysis is carried out by Intertek – Caleb Brett Laboratories, unless marked as witnessed (\*\*)

\*\* When analysis is witnessed by us, our responsibility is solely to ensure that the analysis is conducted to standard test methods in accordance with industry accepted practice. We are not responsible for apparatus, instrumentation and measuring devices, their calibration or working order, Reagents and solutions are accepted as prepared.

LABQA

QA 328 ISSUE NO.: 01 ISSUE DATE: 171299

: 3:

REACH/178(SVHC-025)/2009

DATE RECEIVED: -30.11.2009

DATE REPORTED: - 17.12.2009

REMARK:

SVHC = Substance of Very High Concern

< = Less Than

- Result were based on composite testing, and submitted samples might be separated into groups for testing.

REQUIREMENTS: As per Article 33 of the REACH regulation (EC1907/2006), recipients of product must be provided with information of safe use if any of the tested substances (SVHC) exceeded 0.1% (w/w). A Product meets the requirement of article 33 (1) by default when no SVHC exceed 0.1 % (w/w).



Sunanda Kadam  
Manager – REACH Services



The above mentioned analysis is carried out by Intertek Laboratories, unless marked as witnessed (\*\*)

- \*\* When analysis is witnessed by us, our responsibility is solely to ensure that the analysis is conducted to standard test methods in accordance with industry accepted practice. We are not responsible for apparatus, instrumentation and measuring devices, their calibration or working order, Reagents and solutions are accepted as prepared.